EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	709/218,228,238.ccls. and quer$4. ti.	USPAT	OR	OFF	2007/08/19 23:56
L2	33	lowest with address with network same node$1	USPAT	OR	OFF	2007/08/19 23:56
L3	7	lowest with address with network same node$1 and highest with address with network same node$1	USPAT	OR	OFF	2007/08/19 23:56
L4	26	L2 not L3	USPAT	OR	OFF	2007/08/19 23:56
L5	4337	709/218,228,238.ccls.	USPAT	OR	OFF	2007/08/19 23:56
L6	1	"6636887".pn. and multip$	USPAT	OR	OFF	2007/08/19 23:57
L8	1	"6192404".pn. and mult$	USPAT	OR	OFF	2007/08/19 23:57
L9	11	delay$1 same calculat$6 same (network near2 address)	USPAT	OR	OFF	2007/08/19 23:58
L10	58293	delay$1 same multip$5	USPAT	OR	OFF	2007/08/19 23:58
L11	1	delay$1 same calculat$6 same (network near2 address) same multip$4	USPAT	OR	OFF	2007/08/19 23:59
L12	1	delay$1 same calculat$6 same (network near2 address) same multip$6	USPAT	OR	OFF	2007/08/19 23:59
L13	5995	delay$1 same calculat$6 same multip$6	USPAT	OR	OFF	2007/08/19 23:59
L14	2772	delay$1 same calculat$6 with multip$6	USPAT	OR	OFF	2007/08/19 23:59
L15	1644	delay$1 with calculat$6 with multip$6	USPAT	OR	OFF	2007/08/19 23:59
L16	3	delay$1 with calculat$6 with multip$6 and 5	USPAT	OR	OFF	2007/08/19 23:59
L17	25	delay$1 with calculat$6 with multip$6 and "709"/$.ccls.	USPAT	OR	OFF	2007/08/20 00:00
L18	20	delay$1 with calculat$6 with multip$6 and "709"/$.ccls. and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:13
L19	20	delay$1 with calculat$6 with multipl$6 and "709"/$.ccls. and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:16
L20	99	delay$1 near3 (constant or value) with calculat$6 with multipl$6 and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:16
L21	58	delay$1 near3 (constant or value) with calculat$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:20

L22	41	20 not 21	USPAT	OR	OFF	2007/08/20 00:17
L23	0	delay$1 near3 (constant or value) with calculat$6 with network with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:24
L24	1	delay$1 near3 (constant or value) with calculat$6 with address with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:18
L25	1	delay$1 near3 (constant or value) same calculat$6 with address with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:18
L26	1	delay$1 near3 (constant or value) same calculat$6 with address$4 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:18
L28	0	delay$1 near3 (constant or value) with calculat$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/$.ccls.	USPAT	OR	OFF	2007/08/20 00:20
L29	7	delay$1 with calculat$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/$.ccls.	USPAT	OR	OFF	2007/08/20 00:20
L30	8	delay$1 same calculat$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/$.ccls.	USPAT	OR	OFF	2007/08/20 00:20
L31	878	delay$1 same calculat$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:20
L32	47	(constant or value) with calculat$6 with network with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:24
L33	194	(constant or value) with calculat$6 with (network or address) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:24

L34	5	(constant or value) with calculat$6 with (network or address) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/$.ccls.	USPAT	OR	OFF	2007/08/20 00:25
L35	0	(constant or value) with calculat$6 with (network adj2 address) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/$.ccls.	USPAT	OR	OFF	2007/08/20 00:25
L36	0	(constant or value) with calculat$6 with (network$4 adj2 address$4) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/$.ccls.	USPAT	OR	OFF	2007/08/20 00:25
L37	0	(constant or value) with calculat$6 with (network$4 adj2 address$4) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:25
L38	0	(constant or value) same calculat$6 with (network$4 adj2 address$4) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:25